



A WHOLE NEW POINT OF VIEW.

E A S T

**Single Hung & Double Hung  
MODULAR SIZING SUPPLEMENT**

Modular units are manufactured to traditional wood window rough opening dimensions.


## TABLE OF CON- TENTS

Technical Drawings .....	3
Size Elevations & Grille Patterns.....	4
Single & Double Hung Operating Units .....	4
Single & Double Hung Stationary Units .....	9
Single & Double Hung Circle Head & Transom Units .....	10
Actual Unit Dimension Charts .....	11
Net Clear & Daylight Opening Dimensions .....	12
Bay Window Details .....	14


**It's more than a window. It's a whole new point of view.** At Ply Gem Windows, we have a different view for the way the window business should be run. We believe you should have access to all of the top quality styles and brands across the country. That's why we've taken our entire portfolio of brands, brands that you know and trust, and given them one name – Ply Gem Windows. With this one name comes a lot of big advantages, starting with a national manufacturing and distribution network. Pair that with our commitment to customer service, sustainable practices and wide variety of window styles that fit all of your design needs, and you'll get the right window for every project and every budget.

And, because we're part of the Ply Gem family, you know you'll always have access to leading brands. Windows, doors, siding and accessories, stone veneer, fence and rail, rainware, shutters and designer accents, we have something for every project. We work with residential builders, remodelers, architects, distributors and dealers to help build sales. When you combine over 50 years of experience, industry-leading customer service, and trusted local relationships you've got a company you can count on. **Ply Gem. Building products.**


**Building success.**



### Brick Siding




HORIZONTAL




VERTICAL

### Vinyl Siding




HORIZONTAL




VERTICAL























































### Wood Siding



HORIZONTAL



VERTICAL

		Widths					
		1'-9 7/8"	2'-1 7/8"	2'-5 7/8"	2'-9 7/8"	3'-1 7/8"	3'-5 7/8"
Unit Dimension		1'-10 3/8"	2'-2 3/8"	2'-6 3/8"	2'-10 3/8"	3'-2 3/8"	3'-6 3/8"
		Rough Opening					
Heights		Call Size					
		1-8	2-0	2-4	2-8	3-0	3-4
3'-1 1/8"	3-1-1/8"	 DH: DH1821OM SH: SH1821OM	 DH: DH2021OM SH: SH2021OM	 DH: DH2421OM SH: SH2421OM	 DH: DH2821OM SH: SH2821OM	 DH: DH3021OM SH: SH3021OM	 DH: DH3421OM SH: SH3421OM
3'-5 1/8"	3-5-5/8"	 DH: DH1832M SH: SH1832M	 DH: DH2032M SH: SH2032M	 DH: DH2432M SH: SH2432M	 DH: DH2832M SH: SH2832M	 DH: DH3032M SH: SH3032M	 DH: DH3432M SH: SH3432M
4'-1 1/8"	4-1-5/8"	 DH: DH1831OM SH: SH1831OM	 DH: DH2031OM SH: SH2031OM	 DH: DH2431OM SH: SH2431OM	 DH: DH2831OM SH: SH2831OM	 DH: DH3031OM SH: SH3031OM	 DH: DH3431OM SH: SH3431OM
4'-5 1/8"	4-5-5/8"	 DH: DH1842M SH: SH1842M	 DH: DH2042M SH: SH2042M	 DH: DH2442M SH: SH2442M	 DH: DH2842M SH: SH2842M	 DH: DH3042M SH: SH3042M	 DH: DH3442M SH: SH3442M
4'-9 1/8"	4-9-5/8"	 DH: DH1846M SH: SH1846M	 DH: DH2046M SH: SH2046M	 DH: DH2446M SH: SH2446M	 DH: DH2846M SH: SH2846M	 DH: DH3046M SH: SH3046M	 DH: DH3446M SH: SH3446M
5'-5 1/8"	5-5-5/8"	 DH: DH1852M SH: SH1852M	 DH: DH2052M SH: SH2052M	 DH: DH2452M SH: SH2452M	 DH: DH2852M SH: SH2852M	 DH: DH3052M SH: SH3052M	 DH: DH3452M SH: SH3452M
5'-9 1/8"	5-9-5/8"	 DH: DH1856EM SH: SH1856EM	 DH: DH2056EM SH: SH2056EM	 DH: DH2456EM SH: SH2456EM	 DH: DH2856EM SH: SH2856EM	 DH: DH3056EM SH: SH3056EM	 DH: DH3456EM SH: SH3456EM
5'-9 1/8"	5-9-5/8"	 DH: DH1856CM SH: SH1856CM	 DH: DH2056CM SH: SH2056CM	 DH: DH2456CM SH: SH2456CM	 DH: DH2856CM SH: SH2856CM	 DH: DH3056CM SH: SH3056CM	 DH: DH3456CM SH: SH3456CM
6'-5 1/8"	6-2"	 DH: DH1862M SH: SH1862M	 DH: DH2062M SH: SH2062M	 DH: DH2462M SH: SH2462M	 DH: DH2862M SH: SH2862M	 DH: DH3062M SH: SH3062M	 DH: DH3462M SH: SH3462M

**NOTE:**  
Shaded units satisfy IRC egress requirements. Check with your local code official to confirm egress requirements in your area.

Widths – TWIN Units

Unit Dimension Rough Opening Curb Size	3'-8 1/4"	4'-4 1/4"	5'-0 1/4"	5'-8 1/4"	6'-4 1/4"	7'-0 1/4"
	3'-8 3/4"	4'-4 3/4"	5'-0 3/4"	5'-8 3/4"	6'-4 3/4"	7'-0 3/4"
	1-8 Twin	2-0 Twin	2-4 Twin	2-8 Twin	3-0 Twin	3-4 Twin
3'-1 1/8"	DH: DH18210M-2 SH: SH18210M-2	DH: DH20210M-2 SH: SH20210M-2	DH: DH24210M-2 SH: SH24210M-2	DH: DH28210M-2 SH: SH28210M-2	DH: DH30210M-2 SH: SH30210M-2	DH: DH34210M-2 SH: SH34210M-2
3'-5 1/8"	DH: DH1832M-2 SH: SH1832M-2	DH: DH2032M-2 SH: SH2032M-2	DH: DH2432M-2 SH: SH2432M-2	DH: DH2832M-2 SH: SH2832M-2	DH: DH3032M-2 SH: SH3032M-2	DH: DH3432M-2 SH: SH3432M-2
4'-1 1/8"	DH: DH18310M-2 SH: SH18310M-2	DH: DH20310M-2 SH: SH20310M-2	DH: DH24310M-2 SH: SH24310M-2	DH: DH28310M-2 SH: SH28310M-2	DH: DH30310M-2 SH: SH30310M-2	DH: DH34310M-2 SH: SH34310M-2
4'-5 1/8"	DH: DH1842M-2 SH: SH1842M-2	DH: DH2042M-2 SH: SH2042M-2	DH: DH2442M-2 SH: SH2442M-2	DH: DH2842M-2 SH: SH2842M-2	DH: DH3042M-2 SH: SH3042M-2	DH: DH3442M-2 SH: SH3442M-2
4'-9 1/8"	DH: DH1846M-2 SH: SH1846M-2	DH: DH2046M-2 SH: SH2046M-2	DH: DH2446M-2 SH: SH2446M-2	DH: DH2846M-2 SH: SH2846M-2	DH: DH3046M-2 SH: SH3046M-2	DH: DH3446M-2 SH: SH3446M-2
5'-5 1/8"	DH: DH1852M-2 SH: SH1852M-2	DH: DH2052M-2 SH: SH2052M-2	DH: DH2452M-2 SH: SH2452M-2	DH: DH2852M-2 SH: SH2852M-2	DH: DH3052M-2 SH: SH3052M-2	DH: DH3452M-2 SH: SH3452M-2
5'-9 1/8"	DH: DH1856EM-2 SH: SH1856EM-2	DH: DH2056EM-2 SH: SH2056EM-2	DH: DH2456EM-2 SH: SH2456EM-2	DH: DH2856EM-2 SH: SH2856EM-2	DH: DH3056EM-2 SH: SH3056EM-2	DH: DH3456EM-2 SH: SH3456EM-2
5'-9 1/8"	DH: DH1856CM-2 SH: SH1856CM-2	DH: DH2056CM-2 SH: SH2056CM-2	DH: DH2456CM-2 SH: SH2456CM-2	DH: DH2856CM-2 SH: SH2856CM-2	DH: DH3056CM-2 SH: SH3056CM-2	DH: DH3456CM-2 SH: SH3456CM-2
6'-5 1/8"	DH: DH1862M-2 SH: SH1862M-2	DH: DH2062M-2 SH: SH2062M-2	DH: DH2462M-2 SH: SH2462M-2	DH: DH2862M-2 SH: SH2862M-2	DH: DH3062M-2 SH: SH3062M-2	DH: DH3462M-2 SH: SH3462M-2

**NOTE:**  
Shaded units satisfy IRC egress requirements. Check with your local code official to confirm egress requirements in your area.

### Widths – TRIPLE Units




























Unit Dimension Rough Opening Call Size	5'-6 5/8"	6'-6 5/8"	7'-6 5/8"	8'-6 5/8"	9'-6 5/8"
	5'-7 1/8"	6'-7 1/8"	7'-7 1/8"	8'-7 1/8"	9'-7 1/8"
	1-8 Triple	2-0 Triple	2-4 Triple	2-8 Triple	3-0 Triple
3'-1 1/8"	DH: DH18210M-3 SH: SH18210M-3	DH: DH20210M-3 SH: SH20210M-3	DH: DH24210M-3 SH: SH24210M-3	DH: DH28210M-3 SH: SH28210M-3	DH: DH30210M-3 SH: SH30210M-3
3'-5 1/8"	DH: DH1832M-3 SH: SH1832M-3	DH: DH2032M-3 SH: SH2032M-3	DH: DH2432M-3 SH: SH2432M-3	DH: DH2832M-3 SH: SH2832M-3	DH: DH3032M-3 SH: SH3032M-3
4'-1 1/8"	DH: DH18310M-3 SH: SH18310M-3	DH: DH20310M-3 SH: SH20310M-3	DH: DH24310M-3 SH: SH24310M-3	DH: DH28310M-3 SH: SH28310M-3	DH: DH30310M-3 SH: SH30310M-3
4'-5 1/8"	DH: DH1842M-3 SH: SH1842M-3	DH: DH2042M-3 SH: SH2042M-3	DH: DH2442M-3 SH: SH2442M-3	DH: DH2842M-3 SH: SH2842M-3	DH: DH3042M-3 SH: SH3042M-3
4'-9 1/8"	DH: DH1846M-3 SH: SH1846M-3	DH: DH2046M-3 SH: SH2046M-3	DH: DH2446M-3 SH: SH2446M-3	DH: DH2846M-3 SH: SH2846M-3	DH: DH3046M-3 SH: SH3046M-3
5'-5 1/8"	DH: DH1852M-3 SH: SH1852M-3	DH: DH2052M-3 SH: SH2052M-3	DH: DH2452M-3 SH: SH2452M-3	DH: DH2852M-3 SH: SH2852M-3	DH: DH3052M-3 SH: SH3052M-3
5'-9 1/8"	DH: DH1856EM-3 SH: SH1856EM-3	DH: DH2056EM-3 SH: SH2056EM-3	DH: DH2456EM-3 SH: SH2456EM-3	DH: DH2856EM-3 SH: SH2856EM-3	DH: DH3056EM-3 SH: SH3056EM-3
5'-9 1/8"	DH: DH1856CM-3 SH: SH1856CM-3	DH: DH2056CM-3 SH: SH2056CM-3	DH: DH2456CM-3 SH: SH2456CM-3	DH: DH2856CM-3 SH: SH2856CM-3	DH: DH3056CM-3 SH: SH3056CM-3
6'-5 1/8"	DH: DH1862M-3 SH: SH1862M-3	DH: DH2062M-3 SH: SH2062M-3	DH: DH2462M-3 SH: SH2462M-3	DH: DH2862M-3 SH: SH2862M-3	DH: DH3062M-3 SH: SH3062M-3

**NOTE:**  
Shaded units satisfy IRC egress requirements. Check with your local code official to confirm egress requirements in your area.

		Widths			
		6'-10 5/8"	7'-10 5/8"	8'-10 5/8"	9'-10 5/8"
		6'-11 1/8"	7'-11 1/8"	8'-11 1/8"	9'-11 1/8"
		1-8 / 3-0	1-8 / 4-0	1-8 / 5-0	1-8 / 6-0
Heights	Unit Dimension	3'-1 1/8"	3'-1 5/8"	3'-1 5/8"	2-10
	Rough Opening	3'-5 1/8"	3'-5 5/8"	3'-5 5/8"	3-2
	Call Size	4'-1 1/8"	4'-1 5/8"	4'-1 5/8"	3-10
	4'-5 1/8"	4'-5 5/8"	4'-5 5/8"	4-2	
	4'-9 1/8"	4'-9 5/8"	4'-9 5/8"	4-6	
	5'-5 1/8"	5'-5 5/8"	5'-5 5/8"	5-2	
	5'-9 1/8"	5'-9 5/8"	5'-9 5/8"	5-6E	
	5'-9 1/8"	5'-9 5/8"	5'-9 5/8"	5-6C	
	6'-5 1/8"	6'-5 5/8"	6'-5 5/8"	6-2	





































# Single & Double Hung – Fixed w/2-0 Operating Flanker Units

MW PRO SERIES CLASSIC  
MODULAR SIZING SUPPLEMENT

Heights	Unit Dimension			Widths		
	Rough Opening			Colt. Size		
	7'-6 5/8"	8'-6 5/8"	9'-6 5/8"	2-0 / 3-0	2-0 / 4-0	2-0 / 5-0
	7'-7 1/8"	8'-7 1/8"	9'-7 1/8"			
3'-1 1/8"	3'-1 5/8"	3'-1 5/8"	2-10	 DH: DH2030/210M SH: SH2030/210M	 DH: DH2040/210M SH: SH2040/210M	 DH: DH2050/210M SH: SH2050/210M
3'-5 1/8"	3'-5 5/8"	3'-5 5/8"	3-2	 DH: DH2030/32M SH: SH2030/32M	 DH: DH2040/32M SH: SH2040/32M	 DH: DH2050/32M SH: SH2050/32M
4'-1 1/8"	4'-1 1/8"	4'-1 1/8"	3-10	 DH: DH2030/310M SH: SH2030/310M	 DH: DH2040/310M SH: SH2040/310M	 DH: DH2050/310M SH: SH2050/310M
4'-5 1/8"	4'-5 5/8"	4'-5 5/8"	4-2	 DH: DH2030/42M SH: SH2030/42M	 DH: DH2040/42M SH: SH2040/42M	 DH: DH2050/42M SH: SH2050/42M
4'-9 1/8"	4'-9 5/8"	4'-9 5/8"	4-6	 DH: DH2030/46M SH: SH2030/46M	 DH: DH2040/46M SH: SH2040/46M	 DH: DH2050/46M SH: SH2050/46M
5'-5 1/8"	5'-5 5/8"	5'-5 5/8"	5-2	 DH: DH2030/52M SH: SH2030/52M	 DH: DH2040/52M SH: SH2040/52M	 DH: DH2050/52M SH: SH2050/52M
5'-9 1/8"	5'-9 5/8"	5'-9 5/8"	5-6E	 DH: DH2030/56EM SH: SH2030/56EM	 DH: DH2040/56EM SH: SH2040/56EM	 DH: DH2050/56EM SH: SH2050/56EM
5'-9 1/8"	5'-9 5/8"	5'-9 5/8"	5-6C	 DH: DH2030/56CM SH: SH2030/56CM	 DH: DH2040/56CM SH: SH2040/56CM	 DH: DH2050/56CM SH: SH2050/56CM
6'-5 1/8"	6'-5 5/8"	6'-5 5/8"	6-2	 DH: DH2030/62M SH: SH2030/62M	 DH: DH2040/62M SH: SH2040/62M	 DH: DH2050/62M SH: SH2050/62M



FIXED UNITS

Unit Dimension	Picture Widths						
	2'-9 7/8"	3'-1 7/8"	4'-1 7/8"	5'-1 7/8"			
	2'-10 3/8"	3'-2 3/8"	4'-2 3/8"	5'-2 3/8"			
	2-8	3-0	4-0	5-0			
Rough Opening	Coll Size	3'-1 1/8"	2-10	 DH: DH2821OMP SH: SH2821OMP	 DH: DH3021OMP SH: SH3021OMP	 DH: DH4021OMP SH: SH4021OMP	 DH: DH5021OMP SH: SH5021OMP
		3'-5 1/8"	3-2	 DH: DH2832MP SH: SH2832MP	 DH: DH3032MP SH: SH3032MP	 DH: DH4032MP SH: SH4032MP	 DH: DH5032MP SH: SH5032MP
		4'-1 1/8"	3-10	 DH: DH2831OMP SH: SH2831OMP	 DH: DH3031OMP SH: SH3031OMP	 DH: DH4031OMP SH: SH4031OMP	 DH: DH5031OMP SH: SH5031OMP
		4'-5 1/8"	4-2	 DH: DH2842MP SH: SH2842MP	 DH: DH3042MP SH: SH3042MP	 DH: DH4042MP SH: SH4042MP	 DH: DH5042MP SH: SH5042MP
		4'-9 1/8"	4-6	 DH: DH2846MP SH: SH2846MP	 DH: DH3046MP SH: SH3046MP	 DH: DH4046MP SH: SH4046MP	 DH: DH5046MP SH: SH5046MP
		5'-5 1/8"	5-2	 DH: DH2852MP SH: SH2852MP	 DH: DH3052MP SH: SH3052MP	 DH: DH4052MP SH: SH4052MP	 DH: DH5052MP SH: SH5052MP
		5'-9 1/8"	5-6E	 DH: DH2856EMP SH: SH2856EMP	 DH: DH3056EMP SH: SH3056EMP	 DH: DH4056EMP SH: SH4056EMP	 DH: DH5056EMP SH: SH5056EMP
		5'-9 5/8"	5-6C	 DH: DH2856CMP SH: SH2856CMP	 DH: DH3056CMP SH: SH3056CMP	 DH: DH4056CMP SH: SH4056CMP	 DH: DH5056CMP SH: SH5056CMP
		6'-5 1/8"	6-2	 DH: DH2862MP SH: SH2862MP	 DH: DH3062MP SH: SH3062MP	 DH: DH4062MP SH: SH4062MP	 DH: DH5062MP SH: SH5062MP

# Single & Double Hung – Circle Head & Transom Units

MW PRO SERIES CLASSIC  
MODULAR SIZING SUPPLEMENT

## Single Widths

Heights	Single Widths				
	2'-1 7/8"	2'-5 7/8"	2'-9 7/8"	3'-1 7/8"	3'-5 7/8"
	2'-2 3/8"	2'-6 3/8"	2'-10 3/8"	3'-2 3/8"	3'-6 3/8"
Unit Dimension	2-0	2-4	2-8	3-0	3-4
Rough Opening					
Call Size					
Grille Options (See chart on this page)	CO1, CG2, COL	CO3, CG3, COL	CO3, CG3, COL	CO3, CG3, COL	CO1, CO2, CO3, CO4, CO5, CO6, CO7, CG4, COL


## Optional Grille Patterns

	CO1		C10		CG2
	CO2		C11		CG3
	CO3		C12		CG4
	CO4		C13		CG5
	CO5		C14		CG6
	CO6		C15		CG7
	CO7		C16		CG8
	CO8		C17		CG9
	CO9		C18		COL

**Available Grille Patterns**  
Use order code to specify pattern

## Single Widths

Heights	Single Widths					
	1'-9 7/8"	2'-1 7/8"	2'-5 7/8"	2'-9 7/8"	3'-1 7/8"	3'-5 7/8"
	1'-10 3/8"	2'-2 3/8"	2'-6 3/8"	2'-10 3/8"	3'-2 3/8"	3'-6 3/8"
Unit Dimension	1-8	2-0	2-4	2-8	3-0	3-4
Rough Opening						
Call Size						
1'-1 3/8"						
1'-3 3/8"						
1'-5 3/8"						
1'-7 3/8"						
1'-9 3/8"						
2'-1 3/8"						



Formula for determining unit dimension on multiple units.

- 1) Add actual unit dimensions together.
- 2) Add 1/2" for each mull.

**Operating & Transom Units, WIDTH**

CALL SIZE (WIDTH)	1-8	2-0	2-4	2-8	3-0	3-4
SINGLE	21 7/8	25 7/8	29 7/8	33 7/8	37 7/8	41 7/8
TWIN*	44 1/4	52 1/4	60 1/4	68 1/4	76 1/4	84 1/4
TRIPLE*	66 5/8	78 5/8	90 5/8	102 5/8	114 5/8	N/A

\* Mulls included in dimension

**Fixed Units, WIDTH**

CALL SIZE (WIDTH)	2-8	3-0	4-0	5-0
SINGLE	33 7/8	37 7/8	49 7/8	61 7/8
TWIN*	68 1/4	76 1/4	100 1/4	N/A
TRIPLE*	102 5/8	114 5/8	N/A	N/A

\* Mulls included in dimension

**Operating & Fixed Units, HEIGHT**

CALL SIZE (HEIGHT)	HEIGHT IN INCHES
2-10	37 1/8
3-2	41 1/8
3-10	49 1/8
4-2	53 1/8
4-6	57 1/8
5-2	65 1/8
5-6C	69 1/8
5-6E	69 1/8
6-2	77 1/8

**Transom Units, HEIGHT**

CALL SIZE (HEIGHT)	HEIGHT IN INCHES
1-0	13 3/8
1-2	15 3/8
1-4	17 3/8
1-6	19 3/8
1-8	21 3/8
2-0	25 3/8

## Operating Units

Call Size	Clear Opening Width	Clear Opening Height	Clear Opening S.F.	Daylight Opening S.F.
SH18210M	17.000	14.563	1.72	3.4
32	17.000	16.563	1.96	3.9
310	17.000	20.563	2.43	4.8
42	17.000	22.563	2.66	5.2
46	17.000	24.563	2.90	5.7
52	17.000	28.563	3.37	6.6
56E	17.000	30.563	3.61	7.1
56C	17.000	24.563	2.90	7.0
62	17.000	34.563	4.08	8.0
SH20210M	21.000	14.563	2.12	4.3
32	21.000	16.563	2.42	4.8
310	21.000	20.563	3.00	6.0
42	21.000	22.563	3.29	6.5
46	21.000	24.563	3.58	7.1
52	21.000	28.563	4.17	8.2
56E	21.000	30.563	4.46	8.8
56C	21.000	24.563	3.58	8.7
62	21.000	34.563	5.04	9.9
SH24210M	25.000	14.563	2.53	5.1
32	25.000	16.563	2.88	5.8
310	25.000	20.563	3.57	7.1
42	25.000	22.563	3.92	7.8
46	25.000	24.563	4.26	8.5
52	25.000	28.563	4.96	9.8
56E	25.000	30.563	5.31	10.5
56C	25.000	24.563	4.26	10.5
62	25.000	34.563	6.00	11.2

Call Size	Clear Opening Width	Clear Opening Height	Clear Opening S.F.	Daylight Opening S.F.
SH28210M	29.000	14.625	2.93	5.9
32	29.000	16.625	3.34	6.7
310	29.000	20.625	4.14	8.3
42	29.000	22.625	4.54	9.1
46	29.000	24.625	4.94	9.9
52	29.000	28.625	5.75	11.5
56E	29.000	30.625	6.15	12.2
56C	29.000	24.625	4.94	12.2
62	29.000	34.625	6.96	13.8
SH30210M	33.000	14.625	3.34	6.8
32	33.000	16.625	3.80	7.7
310	33.000	20.625	4.71	9.5
42	33.000	22.625	5.17	10.4
46	33.000	24.875	5.70	11.3
52	33.000	28.625	6.55	13.1
56E	33.000	30.625	7.00	14.0
56C	33.000	24.875	5.70	13.9
62	33.000	34.625	7.92	15.8
SH34210M	37.000	14.625	3.74	7.6
32	37.000	16.625	4.26	8.6
310	37.000	20.625	5.28	10.6
42	37.000	22.625	5.80	11.7
46	37.000	24.625	6.31	12.7
52	37.000	28.625	7.34	14.7
56E	37.000	30.625	7.85	15.7
56C	37.000	24.625	6.31	15.6
62	37.000	34.625	8.88	17.7

**NOTE:** Units listed in green satisfy IRC egress requirements. Check with your local code official to confirm egress requirements in your area.

## Fixed Units

Call Size	Daylight Opening S.F.
SH28210MP	6.5
32	7.3
310	8.9
42	9.7
46	10.5
52	12.1
56E	12.9
56C	12.9
62	14.6

Call Size	Daylight Opening S.F.
SH30210MP	7.4
32	8.3
310	10.1
42	11.1
46	12.0
52	13.8
56E	14.7
56C	14.7
62	16.6

Call Size	Daylight Opening S.F.
SH40210MP	10.1
32	11.3
310	13.8
42	15.1
46	16.3
52	18.8
56E	20.1
56C	20.1
62	22.6

Call Size	Daylight Opening S.F.
SH50210MP	12.8
32	14.3
310	17.5
42	19.1
46	20.7
52	23.8
56E	25.4
56C	25.4
62	28.6

### Operating Units

Call Size	Clear Opening Width	Clear Opening Height	Clear Opening S.F.	Daylight Opening S.F.
DH18210M	17.153	14.063	1.68	3.2
32	17.153	16.063	1.91	3.6
310	17.153	20.063	2.39	4.4
42	17.153	22.063	2.63	4.9
46	17.153	24.063	2.87	5.3
52	17.153	28.063	3.34	6.1
56E	17.153	30.063	3.58	6.6
56C	17.153	24.063	2.87	6.6
62	17.153	34.063	4.06	7.4
DH20210M	21.153	14.063	2.07	4.0
32	21.153	16.063	2.36	4.5
310	21.153	20.063	2.07	5.9
42	21.153	22.063	3.24	6.1
46	21.153	24.063	3.53	6.7
52	21.153	28.063	4.12	7.7
56E	21.153	30.063	4.42	8.3
56C	21.153	24.063	3.53	8.3
62	21.153	34.063	5.00	9.3
DH24210M	25.153	14.063	2.46	4.8
32	25.153	16.063	2.81	5.5
310	25.153	20.063	3.50	6.7
42	25.153	22.063	3.85	7.4
46	25.153	24.063	4.20	8.0
52	25.153	28.063	4.90	9.3
56E	25.153	30.063	5.25	10.0
56C	25.153	24.063	4.20	10.0
62	25.153	34.063	5.95	11.3

Call Size	Clear Opening Width	Clear Opening Height	Clear Opening S.F.	Daylight Opening S.F.
DH28210M	29.153	14.063	2.85	5.6
32	29.153	16.063	3.25	6.4
310	29.153	20.063	4.06	7.9
42	29.153	22.063	4.47	8.7
46	29.153	24.063	4.87	9.4
52	29.153	29.000	5.87	10.9
56E	29.153	30.063	6.09	11.7
56C	29.153	24.063	4.87	11.7
62	29.153	34.063	6.90	13.2
DH30210M	33.153	14.063	3.24	6.5
32	33.153	16.063	3.70	7.3
310	33.153	20.063	4.62	9.1
42	33.153	22.063	3.70	9.5
46	33.153	25.000	5.76	10.8
52	33.153	28.063	6.46	12.5
56E	33.153	30.063	6.92	13.4
56C	33.153	25.000	5.76	13.5
62	33.153	34.063	7.84	15.2
DH34210M	37.153	14.063	3.63	7.3
32	37.153	16.063	4.14	8.3
310	37.153	20.063	5.18	10.2
42	37.153	22.063	5.69	11.2
46	37.153	24.063	6.21	12.2
52	37.153	28.063	7.24	14.1
56E	37.153	30.063	7.76	15.1
56C	37.153	24.063	6.21	15.2
62	37.153	34.063	8.79	17.1

**NOTE:** Units listed in green satisfy IRC egress requirements. Check with your local code official to confirm egress requirements in your area.

### Fixed Units

Call Size	Daylight Opening S.F.
DH28210MP	7.0
32	7.8
310	9.5
42	10.3
46	11.1
52	12.8
56E	13.6
56C	13.6
62	15.3

Call Size	Daylight Opening S.F.
DH30210MP	7.9
32	8.8
310	10.7
42	11.7
46	12.6
52	14.5
56E	15.4
56C	15.4
62	17.3


Call Size	Daylight Opening S.F.
DH40210MP	10.7
32	11.9
310	14.5
42	15.8
46	17.0
52	19.6
56E	20.9
56C	20.9
62	23.4

Call Size	Daylight Opening S.F.
DH50210MP	13.4
32	15.0
310	18.3
42	19.9
46	21.5
52	24.7
56E	26.3
56C	26.3
62	29.6


# Single Hung – Bay Window Details

MW PRO SERIES CLASSIC  
MODULAR SIZING SUPPLEMENT


BAY WINDOW DETAILS



30°Angle Bay with 1-8 Flankers



30°Angle Bay with 2-0 Flankers




Call Size (Height)	Bay Unit (Height)	Inside Dimension (Height)	Rough Opening (Height)
3/10	50 <sup>-5/8</sup>	49 <sup>-1/8</sup>	51 <sup>-1/8</sup>
4/2	54 <sup>-5/8</sup>	53 <sup>-1/8</sup>	55 <sup>-1/8</sup>
4/6	58 <sup>-5/8</sup>	57 <sup>-1/8</sup>	59 <sup>-1/8</sup>
5/2	66 <sup>-5/8</sup>	65 <sup>-1/8</sup>	67 <sup>-1/8</sup>
5/6E	70 <sup>-5/8</sup>	69 <sup>-1/8</sup>	71 <sup>-1/8</sup>
5/6C	78 <sup>-5/8</sup>	77 <sup>-1/8</sup>	79 <sup>-1/8</sup>


Call Size (Width)	Max. Unit (Width)	Max. Rough Opening (Width)	Projection	Unit Dimension (Width)	Actual Angle
SH1830xx-30M	85 <sup>-1/8</sup>	82 <sup>-3/4</sup>	15 <sup>-1/8</sup>	81 <sup>-3/4</sup>	22°
SH1840xx-30M	97 <sup>-1/8</sup>	94 <sup>-3/4</sup>	15 <sup>-1/8</sup>	93 <sup>-3/4</sup>	22°
SH2030xx-30M	92 <sup>-9/16</sup>	90 <sup>-3/16</sup>	16 <sup>-5/8</sup>	89 <sup>-3/16</sup>	22°
SH2040xx-30M	104 <sup>-9/16</sup>	102 <sup>-3/16</sup>	16 <sup>-5/8</sup>	101 <sup>-3/16</sup>	22°

**Note:** Projections include 4<sup>-9/16</sup>" wall.


45°Angle Bay with 1-8 Flankers




45°Angle Bay with 2-0 Flankers




Call Size (Width)	Max. Unit (Width)	Max. Rough Opening (Width)	Projection	Unit Dimension (Width)	Actual Angle
SH1830xx-45M	78 <sup>-11/16</sup>	75 <sup>-5/8</sup>	21 <sup>-1/2</sup>	74 <sup>-5/8</sup>	40°
SH1840xx-45M	90 <sup>-11/16</sup>	87 <sup>-5/8</sup>	21 <sup>-1/2</sup>	86 <sup>-5/8</sup>	40°
SH2030xx-45M	84 <sup>-13/16</sup>	81 <sup>-3/4</sup>	24 <sup>-1/2</sup>	80 <sup>-3/4</sup>	40°
SH2040xx-45M	96 <sup>-13/16</sup>	93 <sup>-3/4</sup>	24 <sup>-1/2</sup>	92 <sup>-3/4</sup>	40°



30°Angle Bay with 1–8 Flankers



30°Angle Bay with 2–0 Flankers




Call Size (Height)	Bay Unit (Height)	Inside Dimension (Height)	Rough Opening (Height)
3/10	50 <sup>-5/8</sup>	49 <sup>-1/8</sup>	51 <sup>-1/8</sup>
4/2	54 <sup>-5/8</sup>	53 <sup>-1/8</sup>	55 <sup>-1/8</sup>
4/6	58 <sup>-5/8</sup>	57 <sup>-1/8</sup>	59 <sup>-1/8</sup>
5/2	66 <sup>-5/8</sup>	65 <sup>-1/8</sup>	67 <sup>-1/8</sup>
5/6E	70 <sup>-5/8</sup>	69 <sup>-1/8</sup>	71 <sup>-1/8</sup>
5/6C	78 <sup>-5/8</sup>	77 <sup>-1/8</sup>	79 <sup>-1/8</sup>


Call Size (Width)	Max. Unit (Width)	Max. Rough Opening (Width)	Projection	Unit Dimension (Width)	Actual Angle
DH1830xx-30M	82 <sup>-3/4</sup>	80 <sup>-9/16</sup>	18 <sup>-1/2</sup>	79 <sup>-9/16</sup>	31°
DH1840xx-30M	94 <sup>-3/4</sup>	92 <sup>-9/16</sup>	18 <sup>-1/2</sup>	91 <sup>-9/16</sup>	31°
DH2030xx-30M	89 <sup>-9/16</sup>	87 <sup>-3/8</sup>	20 <sup>-9/16</sup>	86 <sup>-3/8</sup>	31°
DH2040xx-30M	101 <sup>-9/16</sup>	99 <sup>-3/8</sup>	20 <sup>-9/16</sup>	98 <sup>-3/8</sup>	31°

**Note:** Projections include 4<sup>-9/16</sup>" wall.

45°Angle Bay with 1–8 Flankers



45°Angle Bay with 2–0 Flankers



Call Size (Width)	Max. Unit (Width)	Max. Rough Opening (Width)	Projection	Unit Dimension (Width)	Actual Angle
DH1830xx-45M	76 <sup>-7/8</sup>	73 <sup>-13/16</sup>	23 <sup>-3/16</sup>	72 <sup>-13/16</sup>	45°
DH1840xx-45M	88 <sup>-7/8</sup>	85 <sup>-13/16</sup>	23 <sup>-3/16</sup>	84 <sup>-13/16</sup>	45°
DH2030xx-45M	82 <sup>-1/2</sup>	79 <sup>-7/16</sup>	26	78 <sup>-7/16</sup>	45°
DH2040xx-45M	94 <sup>-1/2</sup>	91 <sup>-7/16</sup>	26	90 <sup>-7/16</sup>	45°



Windows Siding Stone Veneer Fence+Rail Designer Accents [plygem.com](http://plygem.com)



Ply Gem, the Ply Gem logo, the "Building Products. Building Success." slogan, Ply Gem Windows and the Ply Gem Windows logo are trademarks of Ply Gem Industries, Inc. R-Core and Advanced Easy Clean are registered trademarks of Ply Gem Windows. ENERGY STAR is a registered trademark of the U.S. Environmental Protection Agency. ©2010 Ply Gem Industries, Inc.

For more information, call 866-979-4149.

10256 CLASSIC M39-SUPP-0201-1R REV.01